

American Grassfed Association Grassfed Ruminant Inspection Form

*Note: Inspectors cannot inspect farms or ranches they own, have any financial relationship with, or a farm owned by a relative or personal friend. In addition, any and all financial arrangements are made between farmers/ranchers and the inspectors. AGA shall have no financial benefit.

Please complete all required sections and save the file with the following name: "Farm-Ranch-Name Inspection-Month-Day-Year."

Then return the form as an attachment to standards@americangrassfed.org with the farm or ranch name and the word "inspection" in the subject line.

Or send a physical copy to:

AMERICAN GRASSFED ASSOCIATION BOX 461090 DENVER, CO 80246 ATTENTION: CERTIFICATION AND STANDARDS DEP

***Forms missing a member number WILL NOT be processed. Please make sure to include a member number.

Sending by mail may delay the process by up to three weeks.

Farm/Ranch Name			
Inspection Type	Initial inspection	Re-inspection	Other
Inspection Method	On-site	Remote	
Inspector Name			
Inspection Company			
Work Phone			
Cell Phone			
Email			
Date of Inspection			

Grassfed Ruminant Producer Information

Farm Name			
Contact Person			
Position			
Mailing Address			
City			
State			
Zip code			
Work phone Cell			
phone Email			
Preferred Contact:			
	Work Phone	Cell Phone	Email
	Farm/Ranch	Information	
Farm/Ranch Name			
Type of Operation (plea	ase check all that apply)		
cow-calf	cow-calf-finisher	cow-calf-yearling	
backgrounder/st	ocker/grower	finisher	
other (please de	escribe):		

Species 1			
# Breeding Animals			
# Market Animals			
Species 2			
# Breeding Animals			
# Market Animals			
Species 3			
# Breeding Animals			
# Market Animals			
If farm/ranch raises & mart that information to a secon		•	
Do you market finished gra	assfed animals?	YES	NO
Name of supplier/producer	marketing group Co-d	op/alliance	
Physical Address of farm/r	anch		
City			
State			
Zip			
Number of Acres in Produc	ction		
Do you practice holistic ma another organization?	anagement/managed g	grazing techniques throu	gh Savory, HMI or
НМІ	SAVORY	Other	None

Introduction

The American Grassfed Association (AGA) Grassfed Standards require livestock production practices that include a forage-based diet derived from pasture, animal health and welfare, no antibiotics, no added growth hormones. AGA Grassfed Standards are written by and for producers to support American family farms and to provide a fair and sustainable market for their products, better for the consumer, better for the earth and better for the animal.

These standards apply to all farms and ranches certified by the American Grassfed Association (AGA) for the production of grassfed ruminant meat products. Only licensees certified as compliant with the AGA Grassfed Standards may use AGA's American Grassfed Association logos, Association trademarks, service marks, and/or design marks hereafter called AGA Design Mark on their food and agriculture product packaging, and promotional materials.

Recommended Best Practices for AGA Grassfed Ruminant

AGA Best Practices are recommendations to ensure the highest level of integrity regarding land, animal and environmental management.

§1.1 Livestock Breeding program

- **1.1.1** AGA livestock breeds should be suited to the climate, geography, soil type and natural environment of the farm/ranch in which they are raised.
- **1.1.2** Breeding programs should reduce the number of assisted or caesarian births. Records should be kept for assisted or caesarian births. *Note: If assisted births and caesarian births are routine breeding program and/or genetics should be modified to reduce these incidents.*
- **1.1.3** AGA Grassfed Market Animals should not be harvested at less than 14 months of age.

§1.2 Animal Handling

- **1.2.1** Low stress animal handling is recommended. Animal handlers should demonstrate training in low stress stockmanship techniques that produce low stress to the animals and the handlers.
- **1.2.2** All livestock should be allowed to express their natural and instinctive behaviors.

§1.3 Land Health

- **1.3.1** Stocking rates must be appropriate to the soil, climate and geography of the farm/ranch.
- **1.3.2** Pasture management and grazing plan should minimize animal concentration areas by moving supplemental feed areas and placement of mineral.
- **1.3.3** Pastures should be managed to minimize or eliminate the use of synthetic fertilizers, herbicide and pesticides.

General Standards

§2.1 Language Used in the Standards

The following words are used to convey requirements for use of specific standards within the AGA Grassfed Ruminant Certification Program:

- "Must": Implementation of the standard is required.
- "Recommended" or "Should": A best practice that should be adhered to, but other methods may be accepted if the goal is achieved.
- "Prohibited": The practice is not allowed.

The terms AGA Grassfed Ruminant and AGA Grassfed Market Animal are used through these Standards. The term AGA Grassfed Ruminant is meant to refer to all ruminant animals. The term AGA Grassfed Market animal is used to refer to animals that are marketed as Certified AGA Grassfed meats.

Grassfed Ruminant Standards

§2.1 Record Keeping

2.1.1 Standard: All required records must be in sufficient detail as to demonstrate compliance with AGA Standards to the inspector/inspection agency.

Are all required records in sufficient detail to demonstrate compliance with AGA Standards?

NO

YES

Notes:	
2.1.2 Standard: Records must be kept to de Grassfed Market animals are raised to AGA's	
Please attach/include all farm records to insp	pection checklist upon submission.
YES	S NO
Notes:	

§3.1 Forage Protocol

3.1.1 Stand	ard: All livestock pro	duction must be pastu	re/grass/forage based.	
Are all lives	tock raised on pastur	e, grass and/or forage	?	
		YES	NO	
Notes:				
ruminant, ex		ned prior to weaning.	ource consumed for the lifetime of The diet must be derived solely fro	
a) b) c) d) e)	Grass (annual and Forbs (e.g. legume Browse Cereal grain crops Harvested forages		ough stage	
Has grass &	k forage been the fee	d source for the lifetim	e of the ruminant animals?	
		YES	NO	
Notes:				
§3.2 Pastur	re Management, Gra	azing, Confinement a	nd Supplementation	
	otimize their dry matt		provided maximum access to past pasture during the grazing season	
,	5 .			

- Roundups a)
- Sorting b)
- Weaning c)
- d) Transportation
- Nighttime confinement e)

Are grassfed ruminants provided maximum access to pasture and are they optimizing their dry matter intake grazed from pasture during grazing season?

NO YES

Notes:			_
		, in sufficient quality and quantity, and to g the grazing season. See "grazing season" i	n
Do pastures provide forage in growing season?	n enough quality a	and quantity to maximize grazing during the	
	YES	NO	
Notes:			_
3.2.3 Standard: Feeding AC Feeding Operation (CAFO) is		als in confinement or a Concentrated Animal	
Are animals fed in confineme	Are animals fed in confinement or a Concentrated Animal feeding Operation (CAFO)?		
	YES	NO	
Notes:			_
		place a written pasture management and natural resources and soil fertility.	
Does the farm/ranch have a biological diversity, natural re	•	anagement and grazing plan that supports fertility?	
	YES	NO	
Notes:			_
Pasture Management/Grazin	ng plan must be at	tached with this inspection form.	

a) Weeds and invasive plants or pests have not been effectively controlled using other sustainable/holistic means.

3.2.5 Standard: The use of synthetic herbicide and pesticide is prohibited with these

exceptions:

b) Prescriptive individual plant treatment (IPT) of herbicide to remove invasive plant

sp	pecies.		
Does the	e farm/ranch use synthetic herbicide and/o	or pesticide?	
	YES	NO	
If yes, do	pes one of the exceptions listed above ap	pply?	
	YES	NO	
Notes:			
	andard: If the conditions of 3.2.5 above a es are used these conditions must also be	•	nd/or
a)	A written prescriptive Integrated Pest M as part of the required pasture manager provided to the inspector/inspection age	ment and grazing plan. Plan must	
b)	Livestock must be removed from all are of synthetic herbicide and/or pesticide.	•	application
c)	Livestock must not be allowed to graze double the manufacturers listed withdra longest.		
d)	Livestock must be removed from treated the manufactures listed withdrawal prior is longest.	• •	
e) f)	Avoid application near riparian areas to Herbicides and pesticides must be mixe recommendations and application rates	ed and applied according to manuf	
g).	Records must be kept showing product application area. Records must be show the time of inspection but do not need to unless there is a reason to question the	used, mixture of product, date of used, mixture of product, date of used to the inspection age of be included with the inspection re	ency at
If synthe listed ab	tic herbicides and/or pesticides are used ove?	does their use comply with all the	conditions
	YES	NO	
Notes:			

3.2.7 Standard: Existing wildlife and wildlife habitat must be protected and managed to allow native wildlife on the farm/ranch to coexist with domestic animals on the farm/ranch.

	YES	NO
Notes:		
Must be addressed in the pasture	e management/grazing plan	
3.2.8 Standard: AGA Grassfed rinclement weather or events that natural resources or when condit pasture should be based on the anot the calendar.)	may threaten the health, sa ions compromise the ability	afety and welfare of the ruminant, to graze. (Note: Exclusion from
Are grassfed ruminants removed	from pasture outside of cor	nditions outlined above?
	YES	NO
Notes:		
3.2.9 Standard: AGA grassfed ruoutdoors unless conditions jeopa a risk of damaging soil structure	rdize the health, safety and	ture must have access to the welfare of the ruminant or there is
If AGA grassfed ruminants are re If not document the conditions th	•	-
	YES	NO
Notes:		

3.2.10 Standard: Sacrifice pastures are permissible to protect surrounding pastures from overuse during extended inclement weather conditions or times of slow pasture regrowth

(drought).

Is the existing wildlife and wildlife habitat managed to allow native wildlife on the farm/ranch to coexist with domestic animals on the farm/ranch?

	YES	NO	
Notes:			
3.2.11 Standard: Incidental consumption of seeds from grain or cereal grain naturally attached to herbage, forage, and browse is only permitted in an un-harvested crop that complies with 3.2.13. Are animals grazed on re-growth of harvested grain fields?			
	YES	NO	
Notes:			
3.2.12 Standard: Grazing of har vegetative re-growth and the ave			
Are harvested grain fields grazed	1?		
	YES	NO	
If so is 75% of field in vegetative	re-growth and the average	height is at least 8"?	
	YES	NO	
How much of the field is in re-growth? %			
Average height of the re-growth?	·		
Notes:			

Are sacrificed pastures used?

Are grain or cereal grains grazed or harvested after crop has set seed?

3.2.13 Standard: Deliberately waiting until grain or cereal grain crop has set seed before grazing or harvesting for stored forage is prohibited.

	YES	NO	
Notes:			
§3.3 Supplemental Feed	l and Nutritional Supp	olements	
3.3.1 Standard: AGA grapasture per 3.2.8, may be	•	sture or as necessary when ren	noved from
 A) hay & haylage B) balage C) silage* D) forage products* E) crop residue withouts F) small grains harves G) roughage* 	ut grain sted on or before the m	nilk stage	
*See AGA Grassfed Standards	Definitions.		
Have the grassfed rumina feedstuffs?	ants been fed any nona	approved AGA forage products of	or supplement
	YES	NO	
Notes:			
		ls must receive a balanced diet, ppropriate to the animals age a	•
Do AGA ruminants receiv production?	e a balanced diet appr	opriate to the animals' age and	stage of
	YES	NO	
Notes:			

3.3.3 Standard: AGA Grassfed ruminant animals may be fed approved supplements to ensure the animal's well-being during periods of low forage quality or inclement weather. **See Appendix A for approved grassfed supplements.**

Are AGA grassfed ruminants fed	d supplements?			
	YES	NO		
If Yes, are supplements fed in compliance with the conditions above?				
	YES	NO		
If Yes, are the supplements app	roved supplements listed in	Appendix A?		
	YES	NO		
Notes:				
3.3.4 Standard: The feeding of Market Animals not listed in App Feedstuffs, is prohibited.		emental feedstuffs to AGA Grassfed orage Products and Supplement		
Are animals fed forage products	or supplemental feedstuffs	not listed in Appendix A?		
	YES	NO		
Notes:				
3.3.5 Standard: Feeding of app Grassfed Marker Animals must of	• .	• •		
Are approved forage products a guidelines in Appendix A?	nd supplemental feedstuffs	fed in compliance with the feeding		
	YES	NO		
Notes:				

3.3.6 Standard: Intentional feeding of grain or prohibited feeds & ingredients listed in Appendix C to AGA Grassfed Market Animals is prohibited and may result in loss of Certified Grassfed status.				
Are prohibited feeds listed in App	Are prohibited feeds listed in Appendix C fed to AGA Grassfed ruminants?			
	YES	NO		
Notes:				
3.3.7 Standard: Mineral and vita free choice, or may be mixed into intake and to correct deficiencies	supplemental forage feed	•		
Does mineral fed contain grain ca	arriers?			
	YES	NO		
Are minerals and vitamins fed?				
	YES	NO		
If YES, list here and attach tear tags.				
Notes:				
3.3.8 Standard: Forage produce Appendix A.	ed in a sprouted fodder syste	em must be fed in compliance with		
Is forage produced in a sprouted	fodder system fed?			

¹ In more than de minimis amounts if equivalent product is not commercially available.

	YES	NO	
If Yes, is it fed in compliance with Appendix A?			
	YES	NO	
Notes:			
3.3.9 Standard: Receipts, ingredinspector for all supplements and			
Have receipts, ingredients lists a	nd/or tear tags been provid	ed to the inspector?	
	YES	NO	
Notes:			
3.3.10 Standard: A log of supplemental feedstuffs fed to AGA Grassfed Market Animals must be kept including type of supplement, timing and amounts fed. Log must be provided to the inspector and included with the inspection report. Note: 3.3.10 does not apply to mineral and vitamin supplements.			
Is a log of supplemental feedstuf	fs fed to animals kept?		
	YES	NO	
Has the log been provided to the inspector?			
	YES	NO	
Notes:			

§3.4 Marketing AGA Breeding Animals and Calves as AGA Grassfed Meat

3.4.1 Standard: AGA Grassfed ruminant breeding animals may be marketed as AGA Grassfed meat if the animal was raised to the AGA Grassfed Ruminant Standards from birth to harvest.

Are breeding animals marketed	I as AGA Grassfed meat?	
	YES	NO
If YES, are they raised to AGA	Grassfed Ruminant Standar	ds from birth?
	YES	NO
Notes:		
	lives are not eligible to be n	fed or treated with any products in narketed through the AGA Grassfed reated animals do not enter the
Are records kept to ensure trea Grassfed Program?	ted breeding animals and ca	alves do not enter the AGA
	YES	NO
Notes:		
§3.5 Animal Health and Welfa	ire	
3.5.1 Standard: All livestock prince health, safety and welfare, included		•
Are all livestock production met and welfare?	thods and management utiliz	zed promoting animal health, safety
	YES	NO
Notes:		

3.5.2 Standard: Producers must have a written herd health plan, preferably in consultation with a veterinarian updated every two years; or, participate in an ongoing third-party animal welfare program that includes on-farm visits.

Does producer have a written herd health plan?			
	YES	NO	
Is the health plan written in consultation with a veterinarian or does farm participate in a third-party animal welfare program?			
	YES	NO	
If farm participates in a third-part	y welfare program list the n	ame of the program.	
Notes:			
3.5.3 Standard: Living conditions behaviors of the animals. Shade, available on a daily basis for animals with allow all animals to graze/feed with the standard of the standa	shelter, fresh air and clear nals. Pastures, paddocks a	n drinking water must be made and shelter must be large enough to	
Do living conditions accommodate the health and natural behaviors of the animals?			
	YES	NO	
Is shade, fresh air, and clean wa	ter available on a daily bas	is?	
	YES	NO	
Are pastures, paddocks, and she	elters large enough to preve	ent crowding and food competition?	
	YES	NO	
Notes:			

3.5.4 Standard: Electric cattle prod use is prohibited except in instances to prevent risk of injury to the animal or handler.

Are cattle prods used on livestock?			
	YES	NO	
Notes:			
3.5.5 Standard: AGA Grassfed Mexcept as provided in 3.5.6. Treas			
Have AGA market animals been	fed or injected with antibiot	ics?	
	YES	NO	
Notes:			
3.5.6 Standard: Sick or injured of Animals treated with prohibited m		ust be treated to relieve symptoms ly with 3.5.7 and 3.5.8 below.	
Are sick or injured animals treate	d?		
	YES	NO	
If Yes does the treatment comply with 3.5.7 and 3.5.8?			
	YES	NO	
Notes:			

3.5.7 Standard: If AGA grassfed market animals are treated with prohibited medications to comply with 3.5.6 the animal must be permanently identified at the time of treatment with an ear tag, leg band or other clear and visual form of separation to designate that they no longer qualify for AGA Grassfed ruminant program.

Are treated animals permanently identified at time of treatment with a clear and visual form of identification?			
	YES	NO	
Notes:			
3.5.8 Standard: AGA Grassfed Market Animals treated with prohibited medications must be tracked. Records must be kept demonstrating that meat from treated animals does not enter the AGA Grassfed Program. (Note: Provided the identification and tracking comply with the above standard the animal may still be kept with other ruminants that qualify for AGA Grassfed certification.)			
Are animals treated with prohibite	ed medications tracked?		
	YES	NO	
Notes:			
Are records kept to demonstrate	treated animals do not ente	er into the AGA Grassfed Program?	
	YES	NO	
Notes:			
3.5.9 Standard: The producer medications, or other substances be provided to the inspector/insp	s used in his/her animal hea		
Does producer have and maintain a written record of all vaccines, medications and other substances used for animal care.			
	YES	NO	
Were records provided to inspection agency?			
	YES	NO	

Notes:		
receipts and records of use m	ust be available	eipts for all antibiotics administered. Antibiotic on demand to the inspector/inspection agency. be keeping these records but must do so going
Does producer have antibiotic	purchase record	ls and treatment records?
	YES	NO
Notes:		
worms, lice or other parasites	is ineffective, sy	ustainable/holistic alternatives to control nthetic endectocide may be used. (Note: The by routine monitoring of fecal samples.)
Are synthetic endectocides us	ed to control par	asites?
	YES	NO
Notes:		
		control parasites, select an endectocide least use during cold weather when dung beetle
Are endectocides used to con-	trol parasites?	
	YES	NO
If so, are endectocides used d	luring cold weath	er when dung beetle populations are inactive?
	YES	NO
If applicable, list endectocide(s	s) used:	

3.5.13 Standard: AGA Grassfed Market Animals fed or treated with any products listed in Appendix B is prohibited and will result in loss of animal's Certified Grassfed status.			
Have AGA Grassfed ruminants been fed or treated with any products listed in Appendix B?			
	YES	NO	
Notes:			
3.5.14 Standard: The use of org containing these, where an anim Grassfed Market Animals and wi	al might ingest or absorb th		
	YES	NO	
Were any organophosphates, be used?	ta agonists or ionophores o	or any products containing these	
	YES	NO	
Notes:			
3.5.15 Standard: Genetically me	odified or cloned animals ar	e prohibited.	
Are any of your animals genetica	ally modified or cloned?		
	YES	NO	
Notes:			
§3.7 Animal Identification and Trace-Back			
3.7.1 Standard: AGA Grassfed	Market Animals MUST be b	oorn and raised in the USA.	
Are all AGA Grassfed Market Animals born and raised in the USA?			
	YES	NO	

Notes:			
throughout their enti	GA Grassfed Market Anin ire lives, from birth to har fy all animals raised, purd program.	vest. Complete and up-to-	o-date records must be
Does the producer h	nave a written record den	nonstrating traceability fr	om birth to harvest.
	YES	NO	
Notes:			
	p to date records kept to the AGA Grassfed progr		d, purchased, sold, and
	YES	NO	
Notes:			
	ch producer must develo or batch of animals.	p and maintain an anima	al identification system to
Does producer have or batch of animals?	e and maintain an animal	identification system to	dentify each animal and
	YES	NO	
Notes:			
farms/ranches, mus	urced market animals ove t come from AGA certifie se used for all purchased	d producers. AGA Grass	
Are all sourced marl	ket animals over one yea	r of age brought in from	AGA certified producers?
	YES	NO	NOT APPLICABLE

Is the AGA Grassfed Supplier Affidavit used for purchased animals?			
	YES	NO	NOT APPLICABLE
Notes:			
AGA Grassfed Stock	er ruminant producer	s one year of age or young rs or AGA Certified Produc sed for all purchased anim	
Are all sourced mark producers?	et animals under one	year of age brought in fro	m AGA certified
	YES	NO	NOT APPLICABLE
Notes:			
3.7.6 Standard: All is sold or harvested.	records are to be ma	intained for a minimum of	12 months after the animal
Are records maintain	ed for at least 12 mo	nths after animals are solo	l or harvested?

NO

YES

Notes:

AGA Grassfed Stocker Ruminant Standards

AGA Grassfed Stocker Program Introduction

The American Grassfed Association (AGA) created a new classification of Producer membership, Stocker Producer, to facilitate AGA Certified Producers to source animals for finishing and market as AGA Certified Grassfed. The Grassfed Stocker Program recognizes that animals 12 months of age or under for calves, 6 months for lambs and kids, are less likely to have been exposed to prohibited feeds, medications or practices that would otherwise disqualify them for the AGA Grassfed Ruminant program. The Grassfed Stocker Program creates a lower cost, \$100/yr., membership classification for Stocker Producers. The membership fee can be paid for by the Stocker Producer (seller) or an AGA Certified Grassfed producer (buyer) wishing to source animals for their program. A Stocker Producer is eligible to market calves under 12 months of age, lambs and kids under 6 months of age, to Certified AGA Producers for the duration of their annual membership.

Grassfed Stocker Standards are a streamlined version of AGA Grassfed Ruminant Standards that include only Standards relevant to calves under 12 months of age, lambs and kids 6 months of age. Sellers fill out a Stocker Producer checklist (Appendix E) to verify that all animals were raised to AGA Standards.

An AGA Grassfed Supplie	document (Appendix E)) is also filled	out to individually	identify each
animal for traceability.				

4.1 Standard: AGA Grassfed Stocker Ruminants must be born and raised in the USA.

Are all AGA Grassfed Stocker Ruminants born and raised in the USA?

YES

	 · · ·
Notes:	
ΝΟΙΔΕ'	
10163.	

NO

welfare.	us and management must	promote animar neatth, safety and
Do all production methods and n	nanagement promote anima	al health, safety and welfare?
	YES	NO
Notes:		
4.3 Standard: AGA Grassfed St pasture and not raised in confine		provided maximum access to nimal Feeding Operation (CAFO).
Are all AGA Grassfed Stocker R raised in confinement or a Conce	•	•
	YES	NO
Notes:		
4.4 Standard: Feeding AGA run Feeding Operation (CAFO) is pro		ent or a Concentrated Animal
Are AGA ruminant animals fed in (CAFO)?	n confinement or a Concent	rated Animal Feeding Operation
	YES	NO
Notes:		
	ducts and Supplemental fee	fed grass, forage, stored forages edstuffs while on pasture, except fo
		age, stored forages without grain or pasture, except for milk consumed

YES

NO

Notes:						
4.6 Standard: AGA Grassfed Market animals were not fed grain, grain by-products, feather meal, animal byproducts or milk replacer containing antibiotics or growth promoters.						
Were AGA Grassfed Market animals fed grain, grain by-products, feather meal, animal byproducts or milk replacer containing antibiotics or growth promoters?						
		•				
	YES	NO				
Notes:						
4.7 Standard: AGA Grassfed Stocker Ruminants may not be fed or treated with antibiotics, organophosphates, beta agonists, ionophores or products containing these substances.						
Were AGA Grassfed Stocker Ruminants fed or treated with antibiotics, organophosphates, beta agonists, ionophores or products containing these substances?						
	YES	NO				
Notes:						
Inspector Name	Ins	pection Date				
Signature						

AGA Grassfed Standards Definitions

AGA Grassfed Market Animal: Any ruminant animal marketed as Certified AGA Grassfed meat products.

AGA Grassfed Ruminant: Any ruminant animal raised in an AGA Grassfed production system.

AGA Grassfed Stocker Ruminant: Any ruminant animal raised to AGA Grassfed Stocker Ruminant Standards or AGA Grassfed Ruminant Standards.

Balage or Round Bale Silage: A practice that involves cutting the forage crop with conventional hay harvesting equipment, allowing the forage to wilt to between 30 and 60 percent dry matter, then baling it into tight bales and wrapping them immediately. Bales are wrapped mechanically using bale-wrapping equipment that tightly stretches several layers of plastic around the hay to exclude oxygen and allow proper ensiling.

Boot Stage (Grain): The flag leaf is fully expanded, but the awns and grain head are not visible. The grain head can be felt in the flag leaf sheath.

Brassicas: A family of very productive annual forage vegetables used as transition crops between pasture renovations or as a supplemental feed source for extending the grazing season when other forages are less productive, examples include turnips, rape, and kale.

Browse: 1) Leaf and twig growth of shrubs, woody vines, trees, cacti, and other non-herbaceous vegetation available for animal consumption. 2) To browse: the consumption of browse in situ by animals.

Commercially Available: The ability to obtain a product in an appropriate form, quality or quantity.

Crop Residue: Portion of plants remaining after fruit and/or seed harvest, said mainly of grain crops such as corn stover or of small grain straw and stubble.

De Minimis: Amount too trivial or minor to merit consideration, <1.5%.

Diet: The feed regularly offered to or consumed by an animal, see ration.

Dough Stage: The kernel is filled with starch and is well formed. There is no milky fluid, only a rubbery, dough-like substance.

Dormancy: In a state of being dormant when no active growth is occurring.

Enticement: A feedstuff used with management practices but is not a part of the overall animal ration.

Ensiled: Having been subjected to anaerobic fermentation to form silage.

Extenuating circumstances: Include but are not limited to: barn fire, family emergencies, federal or state mandated conditions, etc.

Family farm: AGA defines a family farm as a farm in which farm owners own the animals and are responsible for all management decisions regarding operation of the farm/ranch.

Feedstuff: any of the constituent forages, feeds or supplements of an animal ration.

Forage: any herbaceous plant material that can be grazed or harvested for feeding, except for grain. Including small grains harvested or grazed before the milk stage.

Forage products: Products derived exclusively from forage.

Forb: Any herbaceous broadleaf plant that is not a grass and is not grass-like.

Fruit: 1) n. The usually edible reproductive body of a seed plant, one having a sweet pulp associated with the seed. 2) n. A product of fertilization in a plant with its modified envelopes or appendages, specifically the ripened ovary of a seed plant and its contents.

Genetically modified organism: many methods used to influence the growth or development of organisms by means that are not possible under natural conditions or processes. Such methods include cell fusion, microencapsulation and macro encapsulation, recombinant DNA technology (including gene editing, gene deletion, dene doubling, introducing a foreign gene and changing the position of genes when achieved by recombinant DNA technology). Such methods do not include the use of traditional breeding, conjugation, fermentation, hybridization, in vitro fertilization, or tissue culture.

Grain: Seed from cereal plants, caryopsis. Corn, wheat, rye, oats, rice, millet, sorghum, barley, triticale.

Grass: Member of the plant family Poaceae.

Graze: 1) the consumption of standing or residual forage by livestock; 2) to put livestock to feed on standing residual forage.

Grazing Season: The period when pasture is available for grazing, due to natural precipitation or irrigation.

Growing Season: The number of days between the last spring freeze date and the first fall freeze date.

Hay: The aerial parts of forage crops stored in the dry form for animal feeding. Haylage: Haylage is the feed produced by storing a forage crop, dried to a moisture level of about 45-55% in an airtight silo.

Herbage: 1.) The biomass of herbaceous plants, other than separated grain above ground but including edible roots and tubers. 2.) n. Green plants especially when used or fit for grazing.

Hydrolysis: The splitting of a substance into the smaller units by its chemical reaction with water.

Hydrolysis: The splitting of a substance into the smaller units by its chemical reaction with water.

Inclement Weather: Weather that is violent, or characterized by temperatures (high or low), or characterized by excessive precipitation that can cause physical harm to a species of livestock. Production yields or growth rates of livestock lower than the maximum achievable do not qualify as physical harm

Kernel: A mature ovule of a grass plant with the ovary wall fused to it. Same as caryopsis.

Legumes: Members or the Fabaceae plant family (formerly known as the Leguminoseae family). Legumes are dicots (produce two seed leaves), produce seed in a pod, have netted leaf venation, and usually have a taproot type of root system. Most legumes can interact with bacteria of the genus Rhizobium to fix nitrogen in nodules on their roots. Legumes may have one of four types of seed heads. These seed head types are the raceme, the spike, the head or umbel.

Meadow: Area covered with grasses and/or legumes, often native to the area, grown primarily for hay but with secondary grazing potential.

Milk Stage: Initial phase of grain development, after the flowering stage. In corn, the R3 stage. About 18 to 22 days after silking, when the kernels are mostly yellow and contain "milky" white fluid.

Mineral: 1) n. a solid homogeneous crystalline chemical element or compound that results from the inorganic processes of nature. 2) n. Any of the various naturally occurring homogeneous substances obtained usually from the ground. 3) n. a synthetic substance having the chemical composition and crystalline from and properties of a naturally occurring mineral.

Native Pasture: Native vegetation (predominantly herbaceous) used for grazing in untilled areas. The term tame or introduced is used instead of native for pastures that include mainly nonnative species.

Natural Resources of the Operation: The physical, hydrological, and biological features of a production operation, including soil, water, wetlands, woodlands, and wildlife.

Nighttime Confinement: Collecting of animals from dusk until dawn in a fenced enclosure, generally utilizing temporary electric fence or a designated sacrifice area, to keep animals protected from predators.

Non-fibrous carbohydrate (NFC): The fraction of a feedstuff made of sugars and starch. Paddock: A grazing area that is a subdivision of a grazing management unit and is enclosed and separated from other areas by a fence or barrier.

Pasture: 1) n. Forages harvested by grazing animals. 2) n. An area of land with 75% forage cover or unbroken land on which livestock may graze at will.

Pasture-based: Land management systems where livestock are raised on pasture and allowed to graze freely and express their natural behaviors.

Pastureland: Land devoted to the production of indigenous or introduced forage for harvest primarily by grazing. Pastureland must be managed to arrest succession processes.

Pericarp: The ripened and variously modified walls of a plant ovary, especially those contributing the outer layer in a cereal caryopsis.

Prairie: Nearly level or rolling grassland originally treeless; usually characterized by fertile soil.

Range: Land supporting indigenous vegetation grazed or that has the potential to be grazed and is managed as a natural ecosystem. Includes graze able forestland and rangeland.

Rangeland: Land on which the indigenous vegetation (climax or natural potential) is predominantly grasses, grass-like plants, forbs, or shrubs suitable for grazing or browsing use and is managed as a natural ecosystem. If plants are introduced, they are managed as indigenous species. Rangelands include natural grasslands, savannas, shrub lands, most deserts, tundra, alpine communities, coastal marshland, and wetland meadows.

Ration: The total feedstuffs (diet) allotted to one animal for a 24-hour period.

Residue: That which remains of any substance.

Roughage: Any feed \geq 18% in crude fiber and \leq 70% in total digestible nutrients (TDN), on an air-dried basis and are less than 5.5% crude fat.

Sacrifice pasture: A pasture where animals may move about and express their natural behaviors and where forage can be grown during the grazing season.

Seed: 1) n. Ripened mature ovule comprising an embryo, a seed coat, and a supply of food that, in some species is stored in the endosperm. 2) v. To sow, broadcast or drill small-seeded grasses, legumes, or other crops.

Seed head: See inflorescence.

Separated Grain: Grain detached from cereal crop plants.

Silage: Silage as defined by AGA is forage harvested before, or when in, the milk stage (predough) of grain formation.

Soil and Water Quality: Observable indicators of the physical, chemical, or biological condition of soil and water, including the presence of environmental contaminants.

Sprouted Fodder: Cereal grains, particularly barley or wheat, sprouted and grown in a controlled environment and harvested as livestock feed.

Starch: A polysaccharide having the formula (C6H10O5). Many plants store energy in starch. Starch is a major component of most livestock rations (especially fattening rations) and is highly digestible. Yields glucose upon complete hydrolysis.

Stockpiled Forage: Forage allowed to accumulate on a pasture or paddock for grazing at a later period. Forage is often stockpiled for autumn and winter grazing after or during dormancy or semi-dormancy, but stockpiling may occur during the year as a part of a forage management plan. Stockpiling can be described as forage accumulation.

Stover: The matured cured stalks of such crops as corn or sorghum from which the grain has been removed. A roughage. (6)

Stubble: The basal portion of the stems of herbaceous plants left standing after harvest.

Supplement: A nutritional additive (salt, protein, phosphorus, etc.) intended to improve the nutritional balance and remedy deficiencies of the diet.

Supplemental Feeding: The practice of supplying feedstuffs to correct nutritional deficiencies in an animal's "natural" diet.

Vegetative: Non-reproductive plant parts, (leaf and stem) in contrast to reproductive plant parts (flower and seed) in developmental stages of plant growth. The non-reproductive stage in plant development.

Vegetative State: Stage prior to the appearance of fruiting structures.

Vitamin: 1) n. Any of various organic substances essential in minute quantities to the nutrition of most animals and some plants that act especially as coenzymes and precursors of coenzymes in regulating metabolic processes

Appendix A: AGA Grassfed Supplement & Feedstuffs Guidelines

Note: AGA Supplement Guidelines apply to AGA Grassfed market animals and do not apply to breeding animals unless breeding animals will be marketed through the AGA Grassfed Ruminant program, see §3.4. Calves at side are considered incidental but MAY NOT be exposed to banned products or prohibited feeds and ingredients in Appendix B & C, see §3.4.2.

Feeding of approved AGA supplements must fall within the 1% lifetime total intake standard, 3.3.2, as well and comply with 3.3.1, feeding to ensure animal's well-being during periods of low forage quality and inclement weather.

Lifetime 1% Intake Guidelines:

These guidelines are provided as an estimate of total intake for an average AGA grassfed steer or heifer.

Year 1 total intake of 50 lbs. on a dry matter basis

Year 2 total intake of 80 lbs. on a dry matter basis plus year 1.

Year 3 to lifetime total intake of 120 lbs. on a dry matter basis plus subsequent years.

When supplements are used it seems logical these supplements should be looked upon as substitutes or replacements for the pasture that is not available. The supplements should be nutritionally comparable in the major nutrient content of the forage being replaced. The nutrients considered should be uniformly available (nutritionally speaking) and include; energy, fiber, non-fibrous carbohydrate (NFC) and protein. Since most pasture grasses, legumes and mixtures contain 20% to 30% NFC, it seems axiomatic that supplements should contain levels of NFC along with a high level of highly digestible fiber. This rational is that the NFC percentage along with the fiber content is an acceptable criterion for judging of supplemental feedstuffs. The goal of any supplementation would be to not change the nutrient profile of the meat product produced while ensuring that the daily nutritional requirements of the animal is met.

Feeds or ingredients not listed must be approved in advance by AGA's Certification committee. Feeds or ingredients with an adverse effect on the nutritional quality or have negative health benefits on the animals fed will not be allowed.

Bio Supportive Supplements:

Kelp Apple cider vinegar

Sprouted Fodder:

Forage produced in a sprouted fodder system may be fed to AGA Grassfed ruminants if ALL conditions below are met:

- 1. Forage produced in a sprouted fodder system is an optional source of live grass feeding only during the non-grazing season.
- 2. A 98% germination rate is achieved for the seed used to grow the forage.
- 3. The weight of the daily ration of foraged from the sprouted fodder system is up to 1.75% of body weight/day or a maximum of 20 lbs./hd/day, whichever is less.
- 4. Mycotoxin/molds should not be present in the material being fed.

Molasses Products:

- a) Sugar Products or Molasses Products may be fed up to 4 lbs./head/day on a dry matter basis as an energy source during the non-growing season or periods of low forage quality.
- b) Molasses Products may be a carrier in mineral or vitamin blocks and tubs. It may be used as a binder or ingredient in pellets or cubes.

Molasses Protein Tubs:

AGA Grassfed ruminants may be supplemented with molasses-based protein blocks or tubs to maintain nutrient and rumen balance during periods of low forage quality and inclement weather if these conditions are met:

- a) The block or tub must list a targeted daily intake of 3 pounds or less. (chemically hardened or cooked blocks/tubs)
- b) The block or tub may use approved plant protein products.
- c) The ingredient tag must not list any Banned Products listed in Appendix B.
- d) The ingredient tag must not list prohibited Feeds or Ingredients in Appendix C¹.

Note: Any tub or block that lists protein % first on its guaranteed analysis tag is considered a protein tub.

Manufactured Feeds, Cubes, Pellets:

AGA Grassfed ruminants may be fed approved feeds, cubes or pellets to ensure the animal's well-being during periods of low forage quality or inclement weather or as an enticement during sorting, round up and pasture rotation if these conditions are met:

- a) Manufactured feed that list approved Forage Products, Roughage Products or Plant Protein Products.
- b) Amount fed not to exceed 0.625% of body weight per day (25% total daily intake) and 1% of lifetime intake when calculated on a dry matter basis.
- c) The ingredient tag must not list any Banned Products listed in Appendix B.
- d) The ingredients tag must not list prohibited Feeds or Ingredients in Appendix C1.

AGA Plant Protein Products:

Approved protein products may be ingredients in a ration or manufactured product. AGA Plant protein Products must be $\leq 30\%$ NFC.

Note: Producers may request the AGA Grassfed Certification Committee to evaluate Forage Products and Supplemental Feedstuffs not listed in Appendix A for approval. Supplements with an adverse effect on the nutritional quality of the meat produced or have negative health benefits on the animals fed will not be permitted.

Note: Producers may request a temporary variance from the quantity restrictions for approved forage products and supplement feedstuffs when confronted with extended inclement weather conditions.

OPTIONAL ADDITIONAL LAND HEALTH MODULE INSPECTION DOCUMENT IN INSPECTION PORTAL ON AGA WEBSITE

¹ In more than de minimis amounts if equivalent product is not commercially available.

Appendix B: Banned Products

AGA Banned Products

Feeding or administering any of the products listed below to AGA Grassfed Ruminants will result in loss of Grassfed Certification status.

- Antibiotics
- Growth promoters
- Feather Meal
- Animal by-products
- Milk replacer containing antibiotics, growth promoters and/or any animal by-products aside from whey and other dairy products

Appendix C: Prohibited Feeds & Ingredients

AGA Prohibited Feeds & Ingredients

The following list of prohibited ingredients and feeds is not an exclusive list. The AGA Certification Committee may review and amend this list periodically. Grain products or processed grain products in any form such as whole, ground, cracked, flaked, silage, distilled (distiller grains) or toasted are prohibited.

- Barley
- Corn
- Oats
- Rye
- Rice
- Triticale
- Wheat

- Millet
- Sorghum
- Soy protein products*
- Sunflower meal
- Urea
- Biuret

^{*} soy oil as dust control in mineral at no greater than 1.5% of formula is allowed.

Appendix D: AGA Grassfed Supplier Affidavit

Supplier Name:		
AGA Membership #:		
Farm / Ranch name:		<u>-</u>
Mailing address:		
City:	State:	Zip Code:
Phone:	Mobile:	
E- mail:	Fax:	
AGA Producer Name:		
AGA Membership #		
Farm / Ranch name:		
Mailing address:	 	
City:	State:	Zip Code:
Phone:	Mobile:	
E- mail:	Fax:	
Animal Delivery or Transfer Date:		
Number of Animals Delivered or Trans	ferred:	
As a supplier of animals to an AGA proprovided to the above AGA producer h Standards. I have read and understand comply with the standards.	ave been raised in ac	
Signature:		Date:

Livestock Species		
Page No.		

No.	Ear Tag #	Date of Birth	Sex	Breed	Color Description
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
40					